



ERNEST ORLANDO LAWRENCE BERKELEY NATIONAL LABORATORY

LBNL-5095E

A Meta-Analysis of Energy Savings from Lighting Controls in Commercial Buildings

Alison Williams, Barbara Atkinson, Karina
Garbesi, and Francis Rubinstein


Energy Analysis Department
Lawrence Berkeley National Laboratory
Berkeley, CA 94720

Erik Page

Erik Page & Associates, Inc.

September 2011

This work was supported by the U.S. Department of
Energy's Office of Energy Efficiency and Renewable
Energy, Building Technologies Program under Contract
No. DE-AC02-05CH11231.



DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor The Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or The Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or The Regents of the University of California.

Rubinstein F, Jennings J, Avery D, Blanc S. 1998. Preliminary results from an advanced lighting controls testbed. Proceedings of the IESNA 1998 Annual Conference. 20 p.

Schrum L, Parker DS, Floyd DB. 1996. Daylight dimming systems: studies in energy savings and efficiency. Proceedings of the 1996 ACEEE Summer Study on Energy Efficiency in Buildings 4:311-319.

Sensor Switch. Community profiles: Middlesex Community College. Sensor Switch. 1 p.

Sensor Switch. State profiles: national distribution warehouse. Sensor Switch. 1 p.

Southern California Edison. 2009. Two-way connectivity with a lighting system as a demand response resource. Southern California Edison. DR 07.04 Report. 51 p.

*Southern California Edison. 2008. Office of the Future Phase II report: the 25% solution. The Office of the Future Consortium. ET 08.01. 72 p.

*U.S. Department of Energy. 2003 CBECS detailed tables.

<http://www.eia.gov/emeu/cbeecs/cbeecs2003/detailed_tables_2003/detailed_tables_2003.html#endus e03>. Accessed 2011 August 10.

*U.S. Department of Energy. 2011a. Building Energy Codes Program. < <http://www.energycodes.gov/>>. Accessed 2011 August 16.

*U.S. Department of Energy. 2011b. Energy efficiency program: test procedure for lighting systems (luminaires). Federal Register 76(150):47178-47180.

VonNeida B, Maniccia D, Tweed A. 2000. An analysis of the energy and cost savings potential of occupancy sensors for commercial lighting systems. Proceedings of the Illuminating Engineering Society of North America 2000 Annual Conference. p 433-459.

Washington State University Extension Energy Program. 2011. Final report E3T Emerging Technology Assessment: Bi-level office lighting with occupancy sensors. Bonneville Power Administration. WSUEEP11-003. 68 p.

The WattStopper, Inc. Case study: 851 Target stores use occupancy sensors from The Watt Stopper to save energy. Santa Clara: The WattStopper, Inc. 1 p.

The WattStopper, Inc. Case study: Adobe Systems saves \$15,000 in one month on energy costs by using Isolé plug load controls. Santa Clara: The WattStopper, Inc. 1 p.

WattStopper. 2010. Case study: Controls contribute to 40% energy savings in Kaiser Permanente warehouse. WattStopper. 2 p.

